

PURITY FIXED PANEL CONFIGURATIONS

Overview

Single panel showerscreens are growing in popularity as a simple and stylish solution for bathrooms.


Select from a large range of fixed panels as detailed below. To provide extra rigidity to panels, a stabilizer arm and/or glass shelf must be installed.

10mm thick clear toughened


1 mm radius corners

Individually boxed panels

Flat polished edges



- A** BRACKET OR CHANNEL GAP (MM)
- B** GLASS FIXED PANEL WIDTH (MM)



USING WALL BRACKETS

A BRACKET GAP (MM)	B GLASS FIXED PANEL WIDTH (MM)	OVERALL WIDTH (MM)
3	197	200mm
3	297	300mm
3	397	400mm
3	497	500mm
3	597	600mm
3	697	700mm
3	797	800mm
3	847	850mm
3	872	875mm
3	897	900mm
3	922	925mm
3	947	950mm
3	972	975mm
3	997	1000mm
3	1022	1025mm
3	1047	1050mm
3	1097	1100mm
3	1147	1150mm
3	1197	1200mm
3	1297	1300mm
3	1397	1400mm

Wall bracket options




PURITY FIXED PANEL CONFIGURATIONS

USING PURITY DRY GLASS U CHANNEL

A CHANNEL GAP (MM)	B GLASS FIXED PANEL WIDTH (MM)	OVERALL WIDTH (MM)	
10	197	207-210mm	
10	297	307-310mm	
10	397	407-410mm	
10	497	507-510mm	
10	597	607-610mm	
10	697	707-710mm	
10	797	807-810mm	
10	847	857-860mm	
10	872	882-885mm	
10	897	907-910mm	R
10	922	932-935mm	
10	947	957-960mm	
10	972	982-985mm	
10	997	1007-1010mm	R
10	1022	1032-1035mm	
10	1047	1057-1060mm	
10	1097	1107-1110mm	
10	1147	1157-1160mm	
10	1197	1207-1210mm	R
10	1297	1307-1310mm	
10	1397	1407-1410mm	

U channel allows up to 3mm adjustment in width inside of channel



USING PURITY DRY GLASS "EXTENDED" U CHANNEL

A EXTENDED CHANNEL GAP (MM)	B GLASS FIXED PANEL WIDTH (MM)	OVERALL WIDTH (MM)	
10-25	197	207-222mm	
10-25	297	307-322mm	
10-25	397	407-422mm	
10-25	497	507-522mm	
10-25	597	607-622mm	
10-25	697	707-722mm	
10-25	797	807-822mm	
10-25	847	857-872mm	
10-25	872	882-897mm	
10-25	897	907-922mm	R
10-25	922	932-947mm	
10-25	947	957-972mm	
10-25	972	982-997mm	
10-25	997	1007-1022mm	R
10-25	1022	1032-1047mm	
10-25	1047	1057-1072mm	
10-25	1097	1107-1122mm	
10-25	1147	1157-1172mm	
10-25	1197	1207-1222mm	R
10-25	1297	1307-1322mm	
10-25	1397	1407-1422mm	

Extended U channel allows from 10mm up to 25mm gap spacing from wall.
Refer P47 for more information



LARGE RADIUS FIXED PANEL CONFIGURATIONS

Overview

Narrow Reed Glass diffuses light perfectly, transferring light and offering you the privacy you desire.

The timeless narrow reed design gives you a nod to old-world, recreated in a modern sophisticated new design.

TRADE TIP: The ribbed surface of the glass is installed to the outside of the shower recess.


10mm thick toughened ultraclear narrow reeded

Grade "A" toughened glass

Large radius 200mm

Individually boxed panels


Flat polished edges



LARGE RADIUS FIXED PANEL CONFIGURATIONS

USING WALL BRACKETS

A	BRACKET GAP (MM)	B	GLASS FIXED PANEL WIDTH (MM)	OVERALL WIDTH (MM)
	3		897	900mm
	3		997	1000mm
	3		1197	1200mm




USING PURITY DRY GLASS "EXTENDED" U CHANNEL

A	CHANNEL GAP (MM)	B	GLASS FIXED PANEL WIDTH (MM)	OVERALL WIDTH (MM)
	10-25		897	907-922mm
	10-25		997	1007-1022mm
	10-25		1197	1207-1222mm

** extended U channel allows from 10mm up to 25mm gap spacing from wall
Refer P47 for more information



IMPORTANT: The ribbed surface of the glass is to be installed to the outside of the shower recess.



TRADE TIP: Temporarily hold the L-shape rubber in place with tape to assist with glazing the 10mm glass panel.